



STATE WATER RESOURCES CONTROL BOARD  
REGIONAL WATER QUALITY CONTROL BOARDS

**Interim**

CALIFORNIA STATE



ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

**CERTIFICATE OF ENVIRONMENTAL ACCREDITATION**

Is hereby granted to

**Fruit Growers Laboratory, Inc.**

**Stockton Laboratory**

2500 Stagecoach Road

Stockton, CA 95215

Scope of the certificate is limited to the  
"Fields of Testing"  
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site inspection,  
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of  
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1563**

Expiration Date: **7/31/2018**

Effective Date: **8/1/2017**

A handwritten signature in black ink, appearing to read "Christine Sotelo".

Sacramento, California  
subject to forfeiture or revocation

Christine Sotelo, Chief  
Environmental Laboratory Accreditation Program



EDMUND G. BROWN JR.  
GOVERNOR



MATTHEW RODRIGUEZ  
SECRETARY FOR  
ENVIRONMENTAL PROTECTION

---

## State Water Resources Control Board

July 18, 2017

Kelly Dunnahoo  
Fruit Growers Laboratory, Inc.  
2500 Stagecoach Road  
Stockton, CA 95215

Dear Kelly Dunnahoo:

Certificate No. 1563

This is to advise you that the laboratory named above has been granted an interim certificate pursuant to California Health and Safety Code (HSC), Division 101, Part 1, Chapter 4, Section 100850(d).

The Fields of Testing for which this laboratory has been granted interim certification is shown in the enclosed "Fields of Testing". The Interim certificate shall remain in effect until **July 31, 2018** or until a certificate pursuant to HSC 100825(a) is issued.

Your laboratory is required to participate in the appropriate performance evaluation studies and to perform acceptably in such studies as stated in HSC 100870 and Title 22 of the California Code of Regulations Section 64809. Continued compliance with the Environmental Laboratory Accreditation Program statutes and regulations is required for maintaining the interim certification status.

Any changes in laboratory location or structural alterations, which may adversely affect the quality of analysis in the fields of testing for which the laboratory has been granted certification, require prior notification. Notification is also required for changes in ownership or laboratory director within 30 days after the change (HSC 100845(b) and (d)).

Contact our office at (916) 323-3431 or [elapca@waterboards.ca.gov](mailto:elapca@waterboards.ca.gov) for questions.

Sincerely,

A handwritten signature in blue ink that reads "Christine Sotelo".

Christine Sotelo, Chief  
Environmental Laboratory Accreditation Program

Enclosure



**CALIFORNIA STATE  
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM  
Accredited Fields of Testing**



**Fruit Growers Laboratory, Inc.**

Stockton Laboratory  
2500 Stagecoach Road  
Stockton, CA 95215  
Phone: (209) 942-0182

**Certificate No. 1563  
Expiration Date 7/31/2018  
INTERIM**

**Field of Testing: 101 - Microbiology of Drinking Water**

101.010	001	Heterotrophic Bacteria	SM9215B
101.020	001	Total Coliform P/A	SM9221B
101.020	002	Fecal Coliform P/A	SM 9221 B,E
101.020	004	Total Coliform (Enumeration)	SM9221B,C
101.020	005	Fecal Coliform (Enumeration)	SM 9221 B,E
101.050	001	Total Coliform P/A	SM9223B (Colilert)
101.050	002	E. coli P/A	SM9223B (Colilert)
101.050	003	Total Coliform (Enumeration)	SM9223B (Colilert/Quanti-Tray)
101.050	004	E. coli (Enumeration)	SM9223B (Colilert/Quanti-Tray)
101.050	005	Total Coliform P/A	SM9223B (Colilert 18)
101.050	006	E. coli P/A	SM9223B (Colilert 18)
101.050	007	Total Coliform (Enumeration)	SM9223B (Colilert 18 Quantity Tray)
101.050	008	E. coli (Enumeration)	SM9223B (Colilert 18 Quantity Tray)
101.050	009	Total Coliform P/A	SM9223B (Colisure)
101.050	010	E. coli P/A	SM9223B (Colisure)
101.050	011	Total Coliform (Enumeration)	SM9223B (Colisure)
101.050	012	E. coli (Enumeration)	SM9223B (Colisure)
101.170	001	Enterococci	Enterolert

**Field of Testing: 102 - Inorganic Chemistry of Drinking Water**

102.095	001	Turbidity	SM2130B-2001
102.130	001	Conductivity	SM2510B-1997
102.175	001	Chlorine, Free	SM4500-Cl G-2000
102.175	002	Chlorine, Total Residual	SM4500-Cl G-2000
102.203	001	Hydrogen Ion (pH)	SM4500-H+ B-2000

**Field of Testing: 107 - Microbiology of Wastewater**

107.010	001	Heterotrophic Bacteria	SM9215B
107.020	002	Total Coliform (Enumeration)	SM9221B-2006
107.030	002	Total Coliform with Chlorine Present	SM9221B,C-2006
107.040	002	Fecal Coliform (Enumeration)	SM9221C,E-2006
107.050	002	Fecal Coliform with Chlorine Present	SM9221C,E-2006
107.242	001	Enterococci	Enterolert
107.245	001	E. coli (Enumeration)	SM9223B (Colilert 18)
107.245	002	E. coli (Enumeration)	SM9223B (Colilert)

**Field of Testing: 108 - Inorganic Chemistry of Wastewater**

108.385	001	Color	SM2120B-2001
108.390	001	Turbidity	SM2130B-2001
108.430	001	Conductivity	SM2510B-1997

As of 9/2/2017, this list supersedes all previous lists for this certificate number.  
Customers: Please verify the current accreditation standing with the State.

108.442	001	Residue, Non-filterable TSS	SM2540D-1997
108.443	001	Residue, Settleable	SM2540F-1997
108.465	001	Chlorine, Total Residual	SM4500-Cl G-2000
108.465	002	Chlorine, Free	SM4500-Cl G-2000
108.490	001	Hydrogen Ion (pH)	SM4500-H+ B-2000
108.536	001	Oxygen, dissolved	SM4500-O G-2001
108.592	001	Biochemical Oxygen Demand	SM5210B-2001
108.592	002	Carbonaceous BOD	SM5210B-2001

**Field of Testing:** 126 - Microbiology of Recreational Water

126.010	001	Total Coliform (Enumeration)	SM9221B,C-2006
126.030	001	Fecal Coliform (Enumeration)	SM9221B,E-2006
126.050	001	Total Coliform (Enumeration)	SM9223B (Colilert/Quanti-Tray)
126.050	002	E. coli (Enumeration)	SM9223B (Colilert/Quanti-Tray)
126.080	001	Enterococci	Enterolert